

Copyright (c) 2005 Oklahoma Climatological Survey




**Annual Rainfall History with 5-yr Weighted Trends**  
 Climate Division 10 (Statewide): 1895-2004

- Wetter historical periods
- Drier historical periods



**NOAA**  
**SUMMER**  
**FORECAST:**

**BELOW NORMAL**  
**PRECIPITATION**





THREE-MONTH OUTLOOK  
PRECIPITATION PROBABILITY  
0.5 MONTH LEAD  
VALID JAS 2006  
MADE 15 JUN 2006

EC MEANS EQUAL  
CHANCES FOR A, N, B  
A MEANS ABOVE  
N MEANS NORMAL  
B MEANS BELOW



Farmer's Almanac predicts a wet summer after a dry spring. But they also predicted a wet December 2005....



**Water Year: Oct 1, 2005 through Apr 26, 2006**

Climate Division	Total Rainfall	Departure from Normal	Pct of Normal	Driest since	Wettest since	Rank since 1921 (85 periods)
Central	13.18"	-13.98"	49%	--	2004-05 (26.01")	1st driest
Southeast	24.15"	-14.36"	63%	1955-56 (20.64")	2004-05 (35.02")	4th driest

**Summer 2006: Jun 1 through Jun 20**

Climate Division	Total Rainfall	Departure from Normal	Pct of Normal	Driest since	Wettest since	Rank since 1921 (85 periods)
Central	1.93"	-1.12"	0.63	2001 (0.63")	2005 (5.71")	28th driest
Southeast	2.28"	-0.86"	0.73	2005 (1.90")	2004 (5.41")	37th driest

**Oklahoma Climatological Survey: Drought Monitoring Tools**

[http://climate.ocs.ou.edu/rainfall\\_update.html](http://climate.ocs.ou.edu/rainfall_update.html)



<b>DROUGHT INDICES</b>				
<b>PALMER</b>				
<b>CLIMATE DIVISION</b>	<b>CURRENT STATUS</b>	<b>VALUE 6/7/2006</b>	<b>VALUE 6/17/2006</b>	<b>CHANGE IN VALUE</b>
Central	Severe Drought	-3.40	-3.73	-0.33
Southeast	Severe Drought	-3.54	-3.71	-0.17
<b>SPI</b>	<b>CENTRAL</b>	<b>SOUTHEAST</b>		
3 MONTH	NEAR NORMAL	NEAR NORMAL		
6 MONTH	VERY DRY	MODERATELY DRY		
9 MONTH	VERY DRY	VERY DRY		
12 MONTH	NEAR NORMAL	EXTREMELY DRY		




<http://www.owrb.state.ok.us/supply/drought/bulletin.php>








# U.S. Drought Monitor

June 20, 2006


Valid 8 a.m. EDT



Intensity:

-  D0 Abnormally Dry
-  D1 Drought - Moderate
-  D2 Drought - Severe
-  D3 Drought - Extreme
-  D4 Drought - Exceptional

Drought Impact Types:

-  Delineates dominant impacts
- A = Agricultural (crops, pastures, grasslands)
- H = Hydrological (water)

*The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. See accompanying text summary for forecast statements.*





**Released Thursday, June 22, 2006**

**Author: Ned Guttman/Richard Heim, NOAA/NESDIS/NCDC**

<http://drought.unl.edu/dm>

## Percent of Surface Water Conservation Storage Central OK Reservoirs





**SOIL MOISTURE MAP**  
June 4, 2006