





Drought Conditions in Central Oklahoma


**Water Resources Division
Association of Central Oklahoma Governments
August 1, 2020**

Temperature and Precipitation Plot for Oklahoma City, Oklahoma for 2020

Daily Temperature Data – Oklahoma City Area, OK



Accumulated Precipitation – Oklahoma City Area, OK



<http://xmacis.rcc-acis.org/>

Rainfall Summaries by Oklahoma Climate Division

Calendar Year 01-Jan-2020 through 30-Jul-2020

Climate Division	Total Rainfall	Departure from Normal	Pct of Normal	Rank since 1921 (88 periods)	Driest on Record	Wettest on Record
W. Central	13.31"	-3.67"	78%	25th driest	5.13" (2011)	27.89" (2015)
Central	23.75"	+1.26"	106%	32nd wettest	8.54" (1936)	39.23" (2007)
S. Central	29.69"	+5.33"	122%	13th wettest	10.84" (2011)	47.68" (2015)
Statewide	24.65"	+2.85"	113%	22nd wettest	9.76" (1936)	34.17" (2015)


Water Year: 01-Oct-2019 through 30-Jul-2020

Climate Division	Total Rainfall	Departure from Normal	Pct of Normal	Rank since 1921 (88 periods)	Driest on Record	Wettest on Record
W. Central	16.77"	-5.75"	74%	24th driest	9.67" (2010-11)	35.76" (2018-19)
Central	31.08"	+0.48"	102%	32nd wettest	15.82" (1935-36)	46.23" (2006-07)
S. Central	39.63"	+5.58"	116%	16th wettest	15.08" (1955-56)	56.51" (2014-15)
Statewide	33.12"	+3.24"	111%	21st wettest	16.84" (1955-56)	41.00" (2014-15)

Summer 01-Jun through 30-Jul-2020

Climate Division	Total Rainfall	Departure from Normal	Pct of Normal	Rank since 1921 (88 periods)	Driest on Record	Wettest on Record
W. Central	5.07"	-1.10"	82%	38th driest	1.48" (2011)	11.36" (1962)
Central	7.43"	-0.25"	97%	49th wettest	1.88" (1954)	18.87" (2007)
S. Central	6.11"	-1.38"	82%	49th driest	0.59" (2011)	15.31" (1945)
Statewide	6.71"	-0.60"	92%	46th driest	1.93" (2011)	14.10" (2007)


The climate divisions shown include statewide totals, central Oklahoma totals, and totals for the two divisions which have Canton Lake and Lake Atoka—major water sources for central Oklahoma.



http://climate.ok.gov/index.php/drought/last_30_days/

OKLAHOMA
CLIMATOLOGICAL SURVEY


NOAA One-Month Outlook



White areas are shown as EC (Equal Chance) on these maps represent areas where there are no strong climate signals from the climate tools to have skill in preferring one category over another.

That doesn't mean that there are equal chances of each of the categories occurring – it means that currently there is no skill in identifying the most likely category. In these areas, it is best to be prepared for all possibilities.

Annual Precipitation History with 5-Year Tendencies




http://climate.ok.gov/index.php/climate/climate_trends/precipitation_history_annual_statewide/CD00/prcp/Annual/oklahoma_south-central_u.s

This graph shows the cyclical nature of wet and drought periods in Oklahoma. The black dots represent the annual precipitation for that particular year. The line represents the annual precipitation data smoothed over five years.

This smoothed line shows well the wet periods (shaded green) and the drought periods (shaded brown). The drought cycles appear to average about five to eight years in length.

Drought Severity Index by Climate Division

Palmer Value Ending 25 JUL 2020



The Palmer Drought Index (PDI) maps show long-term (cumulative) meteorological drought and wet conditions. The maps show how the geographical pattern of the long-term (meteorological) moisture conditions has changed over the last 12 months.


On these maps, the red shading denotes drought conditions while the green shading indicates wet conditions.

U.S. Drought Monitor

Week	Date	None	D0-D4	D1-D4	D2-D4	D3-D4	D4
Current	2020-07-28	39.83	60.17	25.96	10.26	2.79	0.00
Last Week	2020-07-21	35.40	64.60	41.40	11.42	2.98	0.00
3 Months Ago	2020-04-28	85.96	14.04	3.94	2.27	0.00	0.00
Start of Calendar Year	2019-12-31	76.45	23.55	10.47	3.64	0.00	0.00
Start of Water Year	2019-10-01	71.94	28.06	11.08	1.01	0.00	0.00
One Year Ago	2019-07-30	81.30	18.70	5.67	0.00	0.00	0.00

U.S. Drought Monitor Oklahoma

Abnormal dryness or drought are currently affecting approximately 433,852 people in Oklahoma.



Intensity:

■ D0 - Abnormally Dry
■ D1 - Moderate Drought
■ D2 - Severe Drought


■ D3 - Extreme Drought
■ D4 - Exceptional Drought



<https://droughtmonitor.unl.edu/CurrentMap/StateDroughtMonitor.aspx?OK>

U.S. Drought Monitor Nationwide Map

Data valid: July 28, 2020



United States and Puerto Rico Author(s):
Richard Heim, NOAA/NCEI

U.S. Affiliated Pacific Islands and Virgin Islands Author(s):
Ahira Sanchez-Lugo, NOAA/NCEI

The data cutoff for Drought Monitor maps is each Tuesday at 8 a.m. EDT. The maps, which are based on analysis of the data, are released each Thursday at


<http://droughtmonitor.unl.edu>

U.S. Drought Monitor



Monthly Drought Outlook Map

U.S. Monthly Drought Outlook Drought Tendency During the Valid Period

Valid for July 2020
Released June 30, 2020



Author:
Brad Pugh
NOAA/NWS/NCEP/Climate Prediction Center



Depicts large-scale trends based on subjectively derived probabilities guided by short- and long-range statistical and dynamical forecasts. Use caution for applications that can be affected by short lived events. "Ongoing" drought areas are based on the U.S. Drought Monitor areas (intensities of D1 to D4).

NOTE: The tan areas imply at least a 1-category improvement in the Drought Monitor intensity levels by the end of the period, although drought will remain. The green areas imply drought removal by the end of the period (D0 or none).

- Drought persists
- Drought remains but improves
- Drought removal likely
- Drought development likely



<http://go.usa.gov/3eZGd>


http://www.cpc.ncep.noaa.gov/products/expert_assessment/mdo_summary.php

U.S. Drought Monitor



Seasonal Drought Outlook Map

U.S. Seasonal Drought Outlook Drought Tendency During the Valid Period

Valid for July 16 - October 31, 2020
Released July 16



Author:
Rich Tinker
NOAA/NWS/NCEP/Climate Prediction Center



Depicts large-scale trends based on subjectively derived probabilities guided by short- and long-range statistical and dynamical forecasts. Use caution for applications that can be affected by short lived events. "Ongoing" drought areas are based on the U.S. Drought Monitor areas (intensities of D1 to D4).

NOTE: The tan areas imply at least a 1-category improvement in the Drought Monitor intensity levels by the end of the period, although drought will remain. The green areas imply drought removal by the end of the period (D0 or none).

- Drought persists
- Drought remains but improves
- Drought removal likely
- Drought development likely




<http://go.usa.gov/3eZ73>

http://www.cpc.ncep.noaa.gov/products/expert_assessment/sdo_summary.php


USGS Streamflow Data

Friday, July 31, 2020 10:30ET



Explanation - Percentile classes							
●	●	●	●	●	●	●	○
Low	<10 Much below normal	10-24 Below normal	25-75 Normal	76-90 Above normal	>90 Much above normal	High	Not-ranked

Thursday, July 30, 2020




Below normal 28-day average streamflow

Explanation - Percentile classes				
Low	≤5	6-9	10-24	Insufficient data for a hydrologic region
Extreme hydrologic drought	Severe hydrologic drought	Moderate hydrologic drought	Below normal	

<https://waterdata.usgs.gov/ok/nwis/rt>

https://waterwatch.usgs.gov/index.php?id=pa28d_dry&sid=w_map|m_pa28d_dwc&r=ok

SOIL MOISTURE MAP



http://www.mesonet.org/index.php/weather/map/24-inch_fractional_water_index/soil_moisture

CONSECUTIVE DAYS WITHOUT RAINFALL MAP


Mesonet
Consecutive Days With Less Than 0.25" Rainfall

July 30, 2020
Created 8:15:01 AM July 31, 2020 CDT. © Copyright 2020


[http://www.mesonet.org/index.php/weather/map/consecutive days with less than 0.25 inches Rainfall/rainfall](http://www.mesonet.org/index.php/weather/map/consecutive%20days%20with%20less%20than%200.25%20inches%20Rainfall/rainfall)

acog

PAGE 13



Percent of Surface Water Conservation Storage Central OK Reservoirs



Lake Hefner and Lake Overholser are terminal storage for Canton Lake. Lake Draper is terminal storage for McGee Creek and Atoka Lakes.

LAKE	% CAPACITY	% CHANGE FROM 7/1/2020
Canton	100.0	0.1
Arcadia	100.0	0.0
Lake Thunderbird	97.8	-1.9
McGee Creek	97.0	-1.4
Lake Atoka	90.2	-5.0
TOTAL % CAPACITY	96.2	-3.8


http://www.swt-wc.usace.army.mil/Daily_Morning_Reservoir_Report.pdf

http://waterdata.usgs.gov/ok/nwis/dv/?site_no=07333010&agency_cd=USGS&referred_module=sw

The graph is the amount of water stored in five major lakes that supply water to central Oklahoma as a percent of capacity over the past year.


Oklahoma Surface Water Resources

Reservoir Levels and Storage as of 7/20/2020



<https://www.owrb.ok.gov/supply/drought/reservoirstorage.php>

Groundwater Levels Spencer Mesonet Station




<http://www.mesonet.org/index.php/weather/groundwater>



Recharge Map Central Oklahoma Aquifer System


AQUIFER RECHARGE JUL 2020




Recharge Charts

Central Oklahoma Aquifer System

ACCUMULATED RECHARGE 2020




MONTHLY AQUIFER RECHARGE




ENSO Cycle

Recent Evolution, Current Status and Predictions



Average SST Anomalies
28 JUN 2020 – 25 JUL 2020



Summary

ENSO Alert System Status: La Niña Watch

- ENSO-neutral conditions are present.
- Equatorial sea surface temperatures (SSTs) are near-to-below average across the east-central and eastern Pacific Ocean.
- The tropical atmospheric circulation is consistent with ENSO-neutral.
- ENSO-neutral is favored to continue through the summer, with a 50-55% chance of La Niña development during Northern Hemisphere fall 2020 and continuing through winter 2020-21 (~50% chance).