


TEMPERATURE PLOT FOR OKLAHOMA CITY, OKLAHOMA FOR 2023








PRECIPITATION PLOT FOR OKLAHOMA CITY, **OKLAHOMA FOR 2023**









RAINFALL SUMMARIES BY OKLAHOMA CLIMATE DIVISION



Calendar Year	01-Jan-2023 though	28-Sep-2023
---------------	--------------------	-------------

Climate Division	Total Rainfall	Departure from Normal	Pct of Normal	Rank since 1921 (88 periods)	Driest on Record	Wettest on Record
W. Central	25.75"	+3.07"	114%	22nd wettest	8.26" (2011)	35.74" (1997)
Central	28.74"	-0.54"	98%	44th wettest	14.36" (1956)	47.35" (2007)
S. Central	26.17"	-4.62"	85%	33rd driest	13.23" (2011)	50.60" (2015)
Statewide	28.13"	-0.04"	100%	46th wettest	14.87" (1956)	41.25" (1957)

	Vater Year:	01-Oct-2022 through	28-Sep-2023
--	-------------	---------------------	-------------

Climate Division	Total Rainfall	Departure from Normal	Pct of Normal	Rank since 1921 (88 periods)	Driest on Record	Wettest on Record
W. Central	30.88"	+2.66"	109%	23rd wettest	12.80" (2010-11)	42.91" (1994-95)
Central	35.69"	-1.70"	95%	45th wettest	19.58" (1955-56)	54.35" (2006-07)
S. Central	35.96"	-4.52"	89%	44th driest	16.05" (1955-56)	60.42" (1944-45)
Statewide	35.57"	-0.68"	98%	44th wettest	18.18" (1955-56)	48.69" (1972-73)

Autumn Sep 01 through 28-Sep-2023

Climate Division	Total Rainfall	Departure from Normal	Pct of Normal	Rank since 1921 (88 periods)	Driest on Record	Wettest on Record
W. Central	1.65"	-0.97"	63%	31st driest	0.05" (1954)	7.86" (1923)
Central	2.13"	-1.47"	59%	28th driest	0.21" (1956)	8.99" (1923)
S. Central	1.85"	-1.89"	49%	31st driest	0.15" (1956)	10.76" (2018)
Statewide	2.95"	-0.37"	89%	50th driest	0.23" (1939)	7.63" (1936)



The climate divisions shown include statewide totals, central Oklahoma totals, and totals for the two divisions which have Canton Lake and Lake Atoka—major water sources for central Oklahoma.


NOAA ONE-MONTH TEMPERATURE OUTLOOK



White areas are shown as EC (Equal Chance) on these maps represent areas where there are no strong climate signals from the climate tools to have skill in preferring one category over another.

That doesn't mean that there are equal chances of each of the categories occurring – it means that currently there is no skill in identifying the most likely category. In these areas, it is best to be prepared for all possibilities.

<u> Climate Prediction Center - Updated OFFICIAL 30-Day Forecasts (noaa.gov)/</u>




NOAA ONE-MONTH PRECIPITATION OUTLOOK



White areas are shown as EC (Equal Chance) on these maps represent areas where there are no strong climate signals from the climate tools to have skill in preferring one category over another.


That doesn't mean that there are equal chances of each of the categories occurring – it means that currently there is no skill in identifying the most likely category. In these areas, it is best to be prepared for all possibilities.

Climate Prediction Center - Updated OFFICIAL 30-Day Forecasts (noaa.gov)/



Annual Precipitation History with 5-Year Tendencies





This graph shows the cyclical nature of wet and drought periods in Oklahoma. The black dots represent the annual precipitation for that particular year. The line represents the annual precipitation data smoothed over five years.


This smoothed line shows well the wet periods (shaded green) and the drought periods (shaded brown). The drought cycles appear to average about five to eight years in length.

7

http://climate.ok.gov/index.php/climate/climate_trends/precipitation_history_annual_statewide/CD00/prcp/Annual/oklahoma_south-central_u.s

DROUGHT SEVERITY INDEX BY CLIMATE DIVISION





The Palmer Drought Index (PDI) maps show long-term (cumulative) meteorological drought and wet conditions.

The maps show how the geographical pattern of the long-term moisture conditions has changed over the last 12 months.

On these maps, the red shading denotes drought conditions while the green shading indicates wet conditions.

23 SEP 2023


U.S. DROUGHT MONITOR - OKLAHOMA



September 28, 2023

Abnormal dryness or drought are currently affecting approximately 1,269,426 people in Oklahoma.

Week	Date	None	D0-D4	D1-D4	D2-D4	D3-D4	D4	<u>DSCI</u>
Current	2023-09-26	34.29	65.71	46.76	30.93	12.91	0.00	156
Last Week to Current	2023-09-19	28.45	71.55	48.72	34.60	12.19	0.00	167
3 Months Ago to Current	2023-06-27	23.06	76.94	36.08	14.26	4.79	0.52	133
Start of Calendar Year to Current	2022-12-27	1.82	98.18	89.73	80.92	56.13	11.65	337
Start of Water Year to Current	2022-09-27	0.00	100.00	99.88	94.44	64.44	17.25	376
One Year Ago to Current	2022-09-27	0.00	100.00	99.88	94.44	64.44	17.25	376





U.S. DROUGHT MONITOR NATIONWIDE MAP



Map released: September 28, 2023

Data valid: September 26, 2023


Intensity and Impacts



United States and Puerto Rico Author(s):


Deborah Bathke, National Drought Mitigation Center

Pacific Islands and Virgin Islands Author(s): Ahira Sanchez-Lugo, NOAA/NCEI



United States and Puerto Rico Author(s):


Richard Heim, NOAA/NCEI





U.S. DROUGHT MONITOR MONTHLY DROUGHT OUTLOOK MAP






Depicts large-scale trends based on subjectively derived probabilities guided by short and long-range statistical and dynamical forecasts. Use caution for applications that can be affected by short lived events. "Ongoing" drought areas are based on the U.S. Drought Monitor areas (intensities of D1 to D4).

NOTE: The tan areas imply at least a 1-category improvement in the Drought Monitor intensity levels by the end of the period, although drought will remain. The green areas imply drought removal by the end of the period (DO or none).

U.S. DROUGHT MONITOR SEASONAL DROUGHT OUTLOOK MAP






Depicts large-scale trends based on subjectively derived probabilities guided by short and long-range statistical and dynamical forecasts. Use caution for applications that can be affected by short lived events. "Ongoing" drought areas are based on the U.S. Drought Monitor areas (intensities of D1 to D4).

NOTE: The tan areas imply at least a 1-category improvement in the Drought Monitor intensity levels by the end of the period, although drought will remain. The green areas imply drought removal by the end of the period (DO or none).

USGS STREAMFLOW DATA






Explanation - Percentile classes								
•	•	•	•		•	•	0	
Low	<10	10-24	25-75	76-90	>90	I II'a b	Not contrad	
LOW	Much below normal	Below normal	Normal	Above normal	Much above normal	High	Not-ranked	

Below normal 28-day average streamflow








	Explanation	- Percentile cla	isses		
Low	<=5	6-9	10-24	Insufficient dat for a hydrolog region	
Extreme hydrologic drought	Severe hydrologic drought	Moderate hydrologic drought	Below		

SOIL MOISTURE MAP





1-DAY AVERAGE **24-INCH** FRACTIONAL **WATER INDEX**




1-day Average 24-inch Fractional Water Index

Created 7:30:13 AM September 29, 2023 CDT. @ Copyright 2023

CONSECUTIVE DAYS WITHOUT RAINFALL MAP





CONSECUTIVE DAYS WITH LESS **THAN 0.25**" **RAINFALL**


Consecutive Days With Less Than 0.25" Rainfall

September 28, 2023

Created 8:15:02 AM September 29, 2023 CDT. @ Copyright 2023

PERCENTAGE OF SURFACE WATER CONSERVATION CAPACITY IN CENTRAL OK RESERVOIRS






Lake Hefner and Lake Overholser are terminal storage for Canton Lake. Lake Draper is terminal storage for McGee Creek and Atoka Lakes.

OKLAHOMA RESERVOIR LEVELS AND STORAGE






OKLAHOMA RESERVOIR LEVELS AND STORAGE AS OF 09/25/2023

This map shows reservoir storage as a percentage of normal pool storage capacity. The source information was collected from real-time lake gages monitored by the U.S. Army Corps of Engineers (https://www.swtwc.usace.armv.mil/Daily Morning Res ervoir Report.pdf), and the U.S. Geological Survey (USGS Current Conditions for USGS 07333010 Atoka Reservoir near Stringtown, OK). For more information, please visit the OWRB's website: (https://www.owrb.ok.gov).



GROUNDWATER LEVELS SPENCER MESONET STATION









AQUIFER RECHARGE – Aug 2023




- Mean aquifer recharge in September 2023 was 0.00 inches.
- Normal recharge for September is 0.06 inches.
- The 2023
 cumulative yearly
 average is 1.04
 inches less than
 normal at this
 time.












PERCENT TOTAL CUMULATIVE AQUIFER RECHARGE – Jan-Aug 2023




- Most of the recharge for 2023 so far this year is south and east of Shawnee.
- There was no recharge to the aquifer in the month of September 2023.
- Normal cumulative recharge for Jan-Sep is 2.07 inches.










RECHARGE CHARTS CENTRAL OKLAHOMA AQUIFER SYSTEM




ACCUMULATED CENTRAL OKLAHOMA AQUIFER SYSTEM RECHARGE 2023



RECHARGE CHARTS CENTRAL OKLAHOMA AQUIFER SYSTEM CONTINUED





MONTHLY AQUIFER RECHARGE 2023



ENSO CYCLE - RECENT EVOLUTION, CURRENT STATUS AND PREDICTIONS











ENSO CYCLE - RECENT EVOLUTION, CURRENT STATUS AND PREDICTIONS



Average SST Anomalies 27 AUG 2023 - 23 SEP 2023







SUMMARY



ENSO ALERT SYSTEM STATUS: El Niño Advisory

- El Niño conditions are observed.
- Equatorial sea surface temperatures (SSTs) are above average across the central and eastern Pacific Ocean.
- The tropical Pacific atmospheric anomalies are consistent with El Niño.
- El Niño is anticipated to continue through the Northern Hemisphere winter (with greater than a 95% chance through January-March 2024).



