



TEMPERATURE PLOT FOR OKLAHOMA CITY, OKLAHOMA FOR 2025





PRECIPITATION PLOT FOR OKLAHOMA CITY, OKLAHOMA FOR 2025







RAINFALL SUMMARIES BY OKLAHOMA CLIMATE DIVISION



Calendar Year	01-Jan-2025 though	01-Jun-2025
---------------	--------------------	-------------


Climate Division	Total Rainfall	Departure from Normal	Pct of Normal	Rank since 1921 (88 periods)	Driest on Record	Wettest on Record
W. Central	12.36"	+1.39"	113%	29th wettest	3.91"	21.20"
Central	20.41"	+5.43"	136%	11th wettest	5.45"	27.12"
S. Central	25.24"	+8.18"	148%	4th wettest	8.68"	36.05"
Statewide	18.66"	+4.00"	127%	11th wettest	6.98"	26.11"

Water Year 01-Oct-2024 though 01-Jun-2025

Climate Division	Total Rainfall	Departure from Normal	Pct of Normal	Rank since 1921 (88 periods)	Driest on Record	Wettest on Record
W. Central	20.86"	+4.35"	126%	18th wettest	5.89"	30.51"
Central	30.99"	+7.90"	134%	7th wettest	11.00"	36.04"
S. Central	35.75"	+9.00"	134%	9th wettest	12.33"	42.29"
Statewide	28.87"	+6.13"	127%	10th wettest	12.29"	33.32"

Spring March 01 through 01-Jun-2025

Climate Division	Total Rainfall	Departure from Normal	Pct of Normal	Rank since 1921 (88 periods)	Driest on Record	Wettest on Record
W. Central	11.83"	+2.93"	133%	16th wettest	2.25"	19.31"
Central	19.32"	+7.57"	164%	5th wettest	3.98"	22.74"
S. Central	22.96"	+10.24"	181%	4th wettest	4.90"	29.14"
Statewide	16.80"	+5.53"	149%	5th wettest	5.51"	22.90"





The climate divisions shown include statewide totals, central Oklahoma totals, and totals for the two divisions which have Canton Lake and Lake Atoka—major water sources for central Oklahoma.


NOAA ONE-MONTH TEMPERATURE OUTLOOK



White areas are shown as EC (Equal Chance) on these maps represent areas where there are no strong climate signals from the climate tools to have skill in preferring one category over another.

That doesn't mean that there are equal chances of each of the categories occurring – it means that currently there is no skill in identifying the most likely category. In these areas, it is best to be prepared for all possibilities.

<u>Climate Prediction Center - Updated OFFICIAL 30-Day Forecasts (noaa.gov)/</u>




NOAA ONE-MONTH PRECIPITATION OUTLOOK



White areas are shown as EC (Equal Chance) on these maps represent areas where there are no strong climate signals from the climate tools to have skill in preferring one category over another.


That doesn't mean that there are equal chances of each of the categories occurring – it means that currently there is no skill in identifying the most likely category. In these areas, it is best to be prepared for all possibilities.

Climate Prediction Center - Updated OFFICIAL 30-Day Forecasts (noaa.gov)/



Annual Precipitation History with 5-Year Tendencies





This graph shows the cyclical nature of wet and drought periods in Oklahoma. The black dots represent the annual precipitation for that particular year. The line represents the annual precipitation data smoothed over five years.

This smoothed line shows well the wet periods (shaded green) and the drought periods (shaded brown). The drought cycles appear to average about five to eight years in length.




U.S. DROUGHT MONITOR - OKLAHOMA



May 29, 2025

Abnormal dryness or drought is currently affecting approximately 10,230 people in Oklahoma.

Week	Date	None	D0-D4	D1-D4	D2-D4	D3-D4	D4	<u>DSCI</u>
Current	2025-05-27	87.75	12.25	3.32	0.00	0.00	0.00	16
Last Week to Current	2025-05-20	84.48	15.52	11.94	2.99	0.00	0.00	30
3 Months Ago to Current	2025-02-25	19.11	80.89	18.43	0.33	0.00	0.00	100
Start of Calendar Year to Current	2024-12-31	70.28	29.72	5.52	0.33	0.00	0.00	36
Start of Water Year to Current	2024-10-01	22.82	77.18	61.31	37.39	11.50	0.00	187
One Year Ago to Current	2024-05-28	70.40	29.60	14.68	6.72	0.00	0.00	51





U.S. DROUGHT MONITOR NATIONWIDE MAP




Intensity and Impacts



United States and Puerto Rico Author(s):

Deborah Bathke, National Drought Mitigation Center


Pacific Islands and Virgin Islands Author(s): Ahira Sanchez-Lugo, NOAA/NCEI





U.S. DROUGHT MONITOR MONTHLY DROUGHT OUTLOOK MAP






Depicts large-scale trends based on subjectively derived probabilities guided by short and long-range statistical and dynamical forecasts. Use caution for applications that can be affected by short lived events. "Ongoing" drought areas are based on the U.S. Drought Monitor areas (intensities of D1 to D4).

NOTE: The tan areas imply at least a 1-category improvement in the Drought Monitor intensity levels by the end of the period, although drought will remain. The green areas imply drought removal by the end of the period (DO or none).

U.S. DROUGHT MONITOR SEASONAL DROUGHT OUTLOOK MAP






Depicts large-scale trends based on subjectively derived probabilities guided by short and long-range statistical and dynamical forecasts. Use caution for applications that can be affected by short lived events. "Ongoing" drought areas are based on the U.S. Drought Monitor areas (intensities of D1 to D4).

NOTE: The tan areas imply at least a 1-category improvement in the Drought Monitor intensity levels by the end of the period, although drought will remain. The green areas imply drought removal by the end of the period (DO or none).

USGS STREAMFLOW DATA






Explanation - Percentile classes							
•	•	•	•		•	•	0
Low	<10	10-24	25-75	76-90	>90	I.F. o.b.	Not-ranked
LOW	Much below normal	Below normal	Normal	Above normal	Much above normal	High	rvot-ranked

Below normal 28-day average streamflow









	Explanation	- Percentile clas	ses	
Low	<=5	6-9	10-24	Insufficient data
Extreme hydrologic drought	Severe hydrologic drought	Moderate hydrologic drought	Below	for a hydrologic region

SOIL MOISTURE MAP








Created 7:30:14 AM June 2, 2025 CDT. © Copyright 2025

CONSECUTIVE DAYS WITHOUT RAINFALL MAP






Consecutive Days With Less Than 0.25" Rainfall

Created 8:15:02 AM June 2, 2025 CDT. @ Copyright 2025

PERCENTAGE OF SURFACE WATER CONSERVATION CAPACITY IN CENTRAL OK RESERVOIRS






Lake Hefner and Lake Overholser are terminal storage for Canton Lake. Lake Draper is terminal storage for McGee Creek and Atoka Lakes.

OKLAHOMA RESERVOIR LEVELS AND STORAGE





OKLAHOMA RESERVOIR LEVELS AND STORAGE AS OF 6/01/2024


This map shows reservoir storage as a percentage of normal pool storage capacity. The source information was collected from real-time lake gages monitored by the U.S. Army Corps of Engineers (https://www.swt-wc.usace.army.mil/Daily_Morning_Reservoir_Report.pdf), and the U.S. Geological Survey (USGS Current Conditions for USGS 07333010 Atoka Reservoir near Stringtown, OK). For more information, please visit the OWRB's website: Monthly Reservoir Storage.pdf





MONTHLY AQUIFER RECHARGE



- Mean aquifer recharge in May 2025 was 0.68 inches.
- Normal mean recharge for May is 0.46 inches.
- We are 0.93 inches above normal for 2025.









PERCENT TOTAL CUMULATIVE AQUIFER RECHARGE – Last 12 Months



- Most of the recharge in the past 12 months was south and east of the metropolitan area.
- May 2025 had 0.68 inches of recharge.
 Normal mean recharge for May is 0.46 inches.
- Over the past 12 months the metropolitan area has received about 125% of annual recharge.








RECHARGE CHARTS CENTRAL OKLAHOMA AQUIFER SYSTEM




ACCUMULATED CENTRAL OKLAHOMA AQUIFER SYSTEM RECHARGE 2025



RECHARGE CHARTS CENTRAL OKLAHOMA AQUIFER SYSTEM CONTINUED




MONTHLY AQUIFER RECHARGE 2025






ENSO CYCLE - RECENT EVOLUTION, CURRENT STATUS AND PREDICTIONS










ENSO CYCLE - RECENT EVOLUTION, CURRENT STATUS AND PREDICTIONS







SUMMARY



ENSO Alert System Status: Not Active

- ENSO-neutral conditions are present.
- Equatorial sea surface temperatures (SSTs) are near-average across most of the Pacific Ocean.
- ENSO-neutral is favored through the Northern Hemisphere summer 2025 (74% chance during June-August), with chances exceeding 50% through August-October 2025.



